Land Acquisition and Involuntary Resettlement Due Diligence Report

Document Stage: Updated Draft for Consultation
Project Number: 42173-013
July 2021

Bangladesh: Dhaka Environmentally Sustainable Water Supply Project – Deep Tube Well Installation in MODs Zone 6 and Adjoining Areas (Part 2)

Prepared by the Dhaka WASA, Government of Bangladesh, for the Asian Development Bank.

CURRENCY EQUIVALENTS

(As of 25 Sep 2020)

Currency Unit	–	Bangladeshi Taka (BDT)
USD 1.00	=	BDT: 86

ABBREVIATIONS

ADB	Asian Development Bank
DTW	Deep Tube Well
DESWSP	Dhaka Environmentally Sustainable Water Supply Project
DWASA	Dhaka Water Supply and Sewerage Authority
DMA	District Metered Areas
DDR	Due Diligence Report
MODS	Maintenance Operation Distribution and Services
SCADA	Supervisory Control and Data Acquisition

This land acquisition and involuntary resettlement due diligence report is a document of the borrower. The views expressed herein do not necessarily represent those of ADB's Board of Directors, Management, or staff, and may be preliminary in nature. Your attention is directed to the “terms of use” section on ADB’s website.

In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area.

TABLE OF CONTENTS

I. INTRODUCTION 1
A. Background 1
B. Scope of this Project 2
C. Methodology 2
II. PROJECT DESCRIPTION 2
A. Proposed Components 2
III. LAND ACQUISITION AND PROJECT IMPACTS 3
IV. CONSULTATION, PARTICIPATION AND DISCLOSURE 4
V. CONCLUSION AND WAY FORWARD 5
A. Conclusion 5

I. INTRODUCTION

A. Background

1. The Dhaka Environmentally Sustainable Water Supply Project (DESWSP) will provide reliable and sustainable water supply for Dhaka City dwellers by developing a new surface water supply scheme for supply augmentation, which includes development of a water intake at Meghna River, one raw water transmission pipeline, a water treatment plant at Gandharbpur with capacity of 500 million liters per day (mld), a treated water transmission pipeline to the existing water supply network, and distribution reinforcements. The project also includes distribution network improvements to reduce non-revenue water and will promote household and community access to safe water, including support to low-income communities. Dhaka Water Supply and Sewerage Authority (DWASA) is the executing and implementing agency of the project.

2. DESWSP will provide treated water to Dhaka city dwellers through DWASA distribution system. The project will extract surface water from the River Meghna at ShomvupuraMouza[1] of ArihazarUpazila[2] where a reservoir will be constructed. This surface water will be delivered through a 22 km pipeline to the Water Treatment Plant at Gandharbpur in RupganjUpazila. The treated water will then be delivered through 14 km pipeline to the distribution network of Dhaka city near US Embassy in Baridhara. The project aims to reduce abstraction of ground water by 150 million liter per day (mld). However, supply of ground water will continue in some areas, particularly to meet the interim demand until the new surface water supply system is in place. This draft due diligence report (DDR) examines DWASA's proposal for new or replacement tube wells from land acquisition and involuntary resettlement perspective.

3. DWASA usually installs Deep Tube Wells (DTWs) on land made available by various individuals, institutes and Housing Societies. DWASA does not install DTWs by purchasing land. Under Package NCB 4.1 of DESWSP, a total 50 DTWs are proposed. Out of this, 15 were proposed as new DTWs and 35 as replacement DTWs. However, land was not available for all the proposed 15 new Deep Tube Wells. Land was available only for 7 DTWs. Hence, 07 new and 43 replacements were incorporated into the project, instead of 15 new and 35 replacements of DTW.

Table 1: Details of New/ Replacement DTW

Original plan	**New DTW**	**Replacement DTW**	**Total**
	15	35	50
Revised plan	07	43	50

[1]Mouza - lowest land administrative unit
[2]Upazila - administrative unit below the district level

B. Scope of this Project

4. The main objective of due diligence exercise is to confirm that the proposed components are free of involuntary resettlement impact such as land acquisition, physical displacement, economic displacement, adverse impact on livelihood, community properties or any other impacts, based on a review of land records, stakeholder consultations and field visits to proposed project locations. The project is being implemented under the contract package NCB 4.1 and covers the area commonly known as Maintenance Operation Distribution and Services (MODS) Zone-6 of DWASA comprising 16 District Metered Areas (DMAs) from DMA 601-617. The works consist of construction of new/replacement Deep Tube Wells with ancillary works and supply of necessary materials. The total package covers 50 DTWs construction/replacement, of which, 7 are new and the rest are 43 are replacement. Due diligence for Parts 1 covering 18 DTWs was prepared and cleared by ADB. This land acquisition and resettlement due diligence, Part-2, report covers the construction of 2 new DTWs and replacement of 17 existing DTWs. There has been severe water scarcity in the district metering areas (DMA) in within the project area (including DMAs No. 606, 611, 612, 614, 615,617) thus the urgent need to construct/ replace the DTWs. The new DTWs are being constructed due to the demand of the local people.

5. A due diligence process was conducted to examine land acquisition and resettlement issues in detail, in line with Asian Development Bank's (ADB's) Safeguard Policy Statement, 2009. This report describes the findings and provides copies of supporting land documents of the DTW locations and photographs. This land acquisition and resettlement due diligence report needs to be read along with the Resettlement Framework prepared for this project.

C. Methodology

6. The methodology adopted included field visits, consultations and the verification of land information. Field visits have been made to all the proposed DTW locations, both replacement and new tube well sites.

II. PROJECT DESCRIPTION

A. Proposed Components

7. In this report, there are2 new DTWs that will be installed and 17 DTWs will be replaced under NCB Package No.4.1. The sites for the DTWs are located in different areas of MODS Zone 6 and adjoining areas under DWASA jurisdiction. DTW works will include drilling of tube wells in all the locations. The replacement tube wells will also require drilling at a location adjacent to the existing tube wells. For putting up a DTW minimum land requirement is 1080 sq.ft. Other components include DTW delivery lines, electrical installations such sub stations, transformers, High Tension lines, control cubicle/ Variable Frequency Drive (VFD), chlorination system, joist for pump maintenance, pump house, SCADA etc. The lists of DTWs covered in this DDR are given in Table 2.

Table 1: List of Deep Tube Wells to be Constructed/ Replaced

Sl. No.	Deep Tube Well Name &Location	DMA No.	New/ Replacement	Land Use rights
1.	Goran No. 10 Water Pump, Dhaka	DMA-606	Replacement	DWASA
2.	Mothertek Water Pump, Dhaka.	DMA-606	Replacement	DWASA
3.	Moghbazar Wireless Gate, Water Pump, Dhaka.	DTW-611	Replacement	DWASA
4.	Modhubag Old Water Pump, Moghbazar, Dhaka.	DTW-611	Replacement	DWASA
5.	Khilgaon No. 04Water Pump, Dhaka	DMA-612	Replacement	DWASA
6.	New Eskaton Water Pump, Ramna, Dhaka	DMA-614	Replacement	DWASA
7.	Eskaton Garden Water Pump, Ramna, Dhaka	DMA-614	Replacement	DWASA
8.	AGB Colony (Al-HelalZone) Water Pump, Dhaka	DMA-615	Replacement	DWASA
9.	Fakirapul Water Pump, Palton, Dhaka	DMA-615	Replacement	DWASA
10.	Segunbagicha Water Pump, Palton, Dhaka	DMA-615	Replacement	DWASA
11.	Mouloveertek Water Pump, Moulovirtek, Dhaka	DMA-617	Replacement	DWASA
12.	Dhaka Uddan Water Pump, Mohammadpur, Dhaka	MODS Zone-3	Proposed (New)	DWASA.
13.	Salimullah Road Water Pump, Mohammadpur,Dhaka	MODS Zone-3	Replacement	DWASA
14.	Dhaka CollegeCampus Water pump, Dhanmondi, Dhaka	MODS Zone-3	Proposed (New)	DWASA
15.	Salauddin Ahmed Adorsho School Water Pump, Dhaka	MODS Zone-7	Replacement	DWASA
16.	Rayerbag Water Pump,Kadomtoli, Dhaka	MODS Zone-7	Replacement	DWASA
17.	Joyersahara No. 01 Water Pump, Kuril, Dhaka	MODS Zone-8	Replacement	DWASA
18.	Mirpur 11/C, (Avenue-5) Water Pump, Dhaka	MODS Zone-10	Replacement	DWASA
19.	MatikataNo.02 Water Pump, Dhaka Cantonment, Dhaka	MODS Zone-10	Replacement	DWASA

III. LAND ACQUISITION AND PROJECT IMPACTS

7. There are no land acquisition and resettlement impacts identified in the proposed locations for DTW. There are no non-titled users in any of the 19 DTW sites, covered in this draft DDR. Details of location of each of the DTW within the DMA are given in **Annexure 1**. The co-ordinates

of the replacement DTWs are given in **Annexure 2**. The photographs of the locations are given in **Annexure 3**.

8. In the locations identified for replacement DTWs, there are existing tube wells which are being operated by DWASA. Within the existing sites, no structure loss is anticipated as the DTW will be installed adjacent to the existing DTW. Out of 19 proposed DTWs, DWASA has contract agreements for 6 replacement DTWs. For 13 DTWs, there are no contracts available but certification of user rights for the installation of 13 DTWs has been provided by the Law Officer, DESWSP in **Annexure 4** the lands for these 13 DTWs were previously obtained through different contract agreements between DWASA and the community/ housing society/ individual as the case may be, for the construction of the DTW. DWASA is not the owner of these locations but has user rights to establish/repair/replace tube wells and associated services such as pump house etc. For the remaining 6 sites, contracts are available with the DWASA Land Division; copies of these contracts are given in **Annexure 5**.

9. For the new DTWs contract agreements has been signed on stamp paper, where the Dhaka Uddan Community Committee and Dhaka College competent authority owning the land has agreed to provide the earmarked land to DWASA for drilling of new tube wells. The contract agreements signed for the new DTWs are in given in **Annexure 5**.

IV. CONSULTATION, PARTICIPATION AND DISCLOSURE

10. Consultations were held in various locations, covering 3-4 DTWs in each meeting. The consultation meetings covered 12 sites (11 replacement sites and one new site). There are 7 locations[3] (6 replacement sites and one new site) where meetings could not be held due to Covid 19 pandemic. These consultation meetings will be carried out after the Covid -19 pandemic situation improves. Information about the DTW work was explained to the participants. The participants are well-aware of the DTW work, as the demand to construct the same has been put forth by the community to the DWASA due to water crisis in the area. Consultation meetings helped to establish that no impact on the community is likely, in terms of loss of livelihood or any other resettlement impact. The minutes of the meeting, photographs and attendance sheets of the meetings held are given in **Annexure 6**.

11. Following ADB SPS 2009 requirements, this Due Diligence Report will be posted on the official website of DWASA and the website of ADB after approval and endorsement of the report by DWASA and ADB.

[3] DTW replacement sites where meetings are yet to be held are: (i) Salimullah Road Water Pump, Mohammadpur; (ii) Salauddin Ahmed Adorsho School Water Pump;(iii) Rayerbag Water Pump, Kadomtoli; (iv) Goran No. 10 Water Pump; (iv) Mothertek Water Pump and (vi) Khilgaon No. 04 Water Pump. There is one new proposed DTW site at Dhaka College Campus, Water Pump, Dhanmondi where meetings are yet to be held.

V. CONCLUSION AND WAY FORWARD

A. Conclusion

12. No involuntary resettlement impacts are assessed at the sites for the DTWs which have been identified for works at this stage. The due diligence confirms that no non-titled persons or users are present at the proposed DTW locations. All the tube well replacement locations are already in use by DWASA and in its possession, there are some structures in the existing locations such as pump houses, supply lines etc. which will be impacted, but DWASA is the owner of these structures that were built for the service of the tube wells. Further consultations are proposed during and after implementation at each DTW site. The updated DDR will include details of consultations at each of the 19 proposed DTW sites for which due diligence is undertaken in this report, including 7 sites that could not be covered due to Covid-19.

Annexure 1: DTW Location Map

1. Goran 10 No. Water Pump, Proposed Replacement.
2. Mothertek Old Water Pump, Proposed Replacement.



3. Moghbazar Wireless Water Pump, Proposed Replacement.
4. Modhubagh Water Pump, Proposed Replacement.



5. Khilgaon 4 No. Water Pump, Proposed Replacement.



6. New Eskaton Water Pump, Proposed Replacement.
7. Eskaton Garden Old Water Pump, Proposed Replacement.



8. AGB Colony Water Pump, Proposed Replacement.
9. Fakirapul Water Pump, Proposed Replacement.
10. Segunbagicha Water Pump, Proposed Replacement.



11. Mouloveertek Water Pump, Proposed Replacement.



12. Dhaka Uddan Water Pump Proposed new (MODS Zone-3)



13. Salimollah Road Proposed Replacement (MODS Zone-3)



14. Dhaka College Campus Water PumpProposed new (MODS Zone-3)



15. Salahudding Ahmed Adorsho School Water Pump, Proposed Replacement (MODS Zone-7)



16. Rayerbag Water Pump Proposed Replacement (MODS Zone-7)

17. Zoyersahra Water Pump, Proposed Replacement (MODS Zone-8)



18. Mirpur 11-C (Avenue-5) Water Pump, Proposed Replacement (MODS Zone-10)

19. Matikata 2no. Water Pump Proposed Replacement (MODS Zone-10)



Annexure 2: DTWs Co- ordinates

S.L	Deep Tube Well Name & Address	Comments	Co-ordinates	
			Point X Latitude /degrees North	Point Y Longitude /degrees East
1.	Goran 10 No. Watee Pump, Dhaka	DMA-606	90.43637094	23.74748694
2.	Mothertek Water Pump, Dhaka.	DMA-606	90.44157661	23.743996
3.	Moghbazar Wireless Gate, Water Pump, Dhaka.	DTW-611	90.4132072	23.7519267
4.	ModhubagModhubagh Old Water Pump, Dhaka.	DTW-611	23.7584045	90.4116695
5.	Khilgaon 04 No. Water Pump, Dhaka	DMA-612	90.41890589	23.75180795
6.	New Eskaton Water Pump, Ramna, Dhaka	DMA-614	90.3978946	23.74827174
7.	Eskaton Garden Water Pump, Ramna, Dhaka	DMA-614	90.39955607	23.74547699
8.	AGB Colony (Al-HelalZone) Water Pump, Palton, Dhaka	DMA-615	90.4209501	23.73326268
9.	Fakirapul Water Pump, Palton, Dhaka	DMA-615	90.41550792	23.73188108
10.	Segunbagicha Water Pump, Palton, Dhaka	DMA-615	90.4062223	23.73335112
11.	Mouloveertek Water Pump, Mouloveertek, Dhaka	DMA-617	90.42156285	23.7578735
12.	Dhaka Uddan Water Pump, Mohammadpur, Dhaka	MODS Zone-3	90.3399301	23.76362437
13.	Salimullah Road WaterPump,Mohammadpur,Dhaka	MODS Zone-3	90.3631831	23.76064833
14.	Dhaka CollegeCampus Water pump, Dhanmondi, Dhaka	MODS Zone-3	90.38120557	23.73581561
15.	Salauddin School Water Pump, Dhaka	MODS Zone-7	90.46752438	23.71073241
16.	Rayerbag Water Pump,Kadomtoli, Dhaka	MODS Zone-7	90.45765642	23.69766333
17.	Joyersahara 01 No. Water Pump, Kuril, Dhaka	MODS Zone-8	90.41632049	23.81585569
18.	Mirpur 11/C, (Avenue-5) Water Pump, Dhaka	MODS Zone-10	90.37501208	23.8151101
19.	Matikata 2No. Water Pump, Dhaka Cantonment, Dhaka	MODS Zone-10	90.39236169	23.82153391

Annexure 3: Site Photographs

1. Goran 10 No. Water Pump 2. Mothertek Water Pump6

3.Moghbazar Wireless Gate Water Pump 4. Modhubagh Madrasa Water Pump

5. Khilgaon 04 no. Water Pump

6. New Eskaton Water Pump

7. Eskaton Garden Water Pump

8. AGB Colony (Al-Helal Zone) Water Pump

9.Fakirapool Water Pump

10. Segunbagicha Water Pump

11. Moulovirtek Water Pump Proposed new

12. Dhaka Uddan Water Pump,

13. Salimullah Road Water Pump

14. Dhaka College Campus Water Pump

15.Salauddin School Water Pump

16. Rayerbag Water Pump

17. Joyersahara Water Pump

18. Mirpur 11-C (Ave:5) Water Pump

19.Matikata 2 No. Water Pump

Annexure 4: Certification from DWASA

ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ

শেখ হাসিনার মূলনীতি
গ্রাম শহরের উন্নতি

To Whom it May Concern

This is to certify that Dhaka Water Supply and Sewerage Authority (Dhaka WASA), is in possession of the Deep Tube Well installation sites mentioned below. Dhaka Water Supply and Sewerage Authority's Legal Cell has carried out due diligence of these sites and it is confirmed that there are no litigations associated with these sites. These sites will be continued to be used under the Dhaka Environmentally Sustainable Water Supply Project, as tube well locations under the replacement component.

These tube well locations include:

SL. No.	Deep Tube Well Name and Location	DMA No./MODS Zone	Area Dimension (sqf)
1.	Goran 10 Water Pump	601	60 X 34 = 2040 (sqf)
2.	Moghbazar Wireless Water Pump	611	48 X 30 = 1440 (sqf)
3.	Modhubagh Old (Madrasa) Water Pmum	611	60 X 45 = 2925 (sqf)
4.	Khilgaon 04 Water Pump	612	65 X 33 = 2040 (sqf)
5.	Eskaton Gerden Water Pump	614	30 X 25 = 750 (sqf)
6.	AGB Colony (Al-helal zone) Water Pump	615	35 X 30 = 1050 (sqf)
7.	Mouloveertek Water Pump	617	52 X 47 = 2444 (sqf)
8.	Salimollah Road Water Pump	MODS Zone-3	60 X 56 = 3360 (sqf)
9.	Salauddin School Water Pump	MODS Zone-7	65 X 45 = 2100 (sqf)
10	Rayerbagh Water Pump	MODS Zone-7	65 X 45 = 2100 (sqf)
11	Joyarsahara Water Pump	MODS Zone-8	55 X 52 = 2860 (sqf)
12	Mirpur-C (Avenue-5) Water Pump	MODS Zone-10	60 X 34 = 2040 (sqf)
13	Matikata 2No. Water Pump	MODS Zone-10	30 X 20 = 600 (sqf)

23.06.2021
Md. Zahidul Islam
Law Officer
Dhaka Wasa

Annexure 5: Contract Agreement for Replacement/New DTWs

1. **Segunbagicha Water Pump**
2. **MothertekWater Pump**
3. **New Eskon Water Pump**

Contract Agreement



Mothertek
Eskaton

GOVERNMENT OF EAST PAKISTAN
BASIC DEMOCRACY & LOCAL GOVT.DEPTT.
PUBLIC HEALTH ENGINEERING.

NOTIFICATION
NO.S.VIII-IE-54/63/11-PRE

Dated Dacca, the 6th Jan., 1964

Whereas the Dacca Water Supply and Sewerage Authority has been established under the East Pakistan Water Supply and Sewerage Authority Ordinance, 1963 (East Pakistan Ordinance No.XIX of 1963) to provide for construction, improvement, expansion, operation and maintenance of water and sewerage works in the city of Dacca and certain contiguous areas, as notified;

And, whereas the said Ordinance provides for taking over by the Authority of the existing water-works and sewerage works from the Municipal or other Authorities;

And, whereas the Municipal Committee of Dacca as unanimous decision taken in its emergent special meeting held on 22.5.63 is agreeable to make over to the Authority (WASA) its water works and sewerage works now owned and operated by it under terms and conditions as specified in the proceedings of the said emergent meeting;

And, whereas the Authority has proposed to take over the Municipal water works and sewerage works at present owned and operated by the Municipal Committee, on the terms and conditions offered by the Committee;

And, whereas Government are satisfied with the proposal of the Authority and the agreement of the Municipal Committee;

Now, therefore, in exercise of the powers conferred by sub-section (2) of section 17 of the said Ordinance the

Sl No	Name of the properties	Area of compound.		Acre.	Remar
31.	Mohakhali Lab. P.S.	93'-0" x 41'-0"	= 3,813 Sft.	.087	
32.	P.S.I at Mirpur Sec.I.	182'-0" x 140'-0"	= 25480 "	.584	
33.	Mohakhali Lab.Tank.Comp.	28'-0" x 28'-0"	= 784 "	.017	
34.	P.S. III at Mirpur Sec. I,II.	75'-0" x 50'-0"	=3,750 "	.086	
35.	P.S. II at Mirpur Sec.II.	153'-0" x 109'-0"	=16677 "	.382	
36.	P.S. IV at Mirpur Sec.II.	50'-0" x 50'-0"	= 2,500 "	.057	
37.	P.S.(V) at Mirpur Sec.II.	26'-0" x 21'-0"	= 541 "	.012	
38.	P.S. VI + II at Mirpur.	25'-0" x 17'-0"	= 485 "	.009	
39.	P.S. VII at Mirpur.	135'-0" x 100'-0"	= 13,500 "	.309	
40.	P.S. VIII at Mirpur Sec. 12.	200'-0" x 100'-0"	=20,000 "	.459	
41.	P.S. IV, Rd.-I DRA.	74'-0" x 30'-0"	= 2,220 "	.050	
42.	Rd. No. 24, Tank Comp.D.R.A.	153'-0" x 102'-0" 60'-0" x 37'-0"	= 17820 "	.409	
43.	P.S.No.III, Rd.-I, D.R.A.	60'-0" x 60'-0"	= 3,600 "	.082	
44.	P.S.I. Rd-I, D.R.A.	42'-0" x 35'-6"	= 2008 "	.046	
45.	Tank No. I Rd.I, D.R.A.	82'-0" x 78'-0"	= 6396 "	.146	
46.	G.Azam Rd. Mohd. Pur Tank Comp.	108'-0" x 104'-0"	=11232 "	.257	
47.	P.S. III Ayub Avenue.	106'-6" x 76'-6"	=8172 "	.187	
48.	Tank Com.II, Mohdpur.	180'-0" x 150'-0"	=27,000 "	.619	
49.	(a) P.S.No.II, Mohdpur Block-D.	180'-0" x 80'-0"	=12,000 "	-	
50.	M.P. Assembly P.S.Comp. only.	12'-0" x 8'-0"	= 96 "		
51.	Segun Bagicha P.S.	$\frac{50 + 29}{2}$ x 50	= 1975 "	.045	
52.	Lichubagan P.S. only.	30'-0" x 20'-0"	= 600 "	.015	
53.	High Court P.S.II.	$\frac{92 + 35}{2}$ x 92	= 5,842 "	.103	
54.	Mokrail W/T Comp.	$\frac{180 + 165}{2}$ x 180	= 23,050 "	.503	
55.	Bakalia W.P. Ramp	115'-0" x 70'-0"	= 8,050 "	.108	
56.	D.I.T.P.S. No. I,	$\frac{30 + 30}{2}$ x 30	= 900 "	.020	
57.	[illegible]	[illegible]	[illegible]	.030	

-3-

No. S.VIII-1E-54/63/11/1(2)/7-PHE. dt.6.1.64.

Copy with a copy of the above endorsement forwarded for information to :-

1. Commissioner, Dacca Division,
2. Deputy Commissioner, Dacca,
3. Chief Engineer, Public Health Engineering, Dacca.
4. Accountant General, East Pakistan.
5. Planning Department.
6. Liaison Officer, Economic Affairs Division, Government of ~~East~~ Pakistan, Dacca.
7. Director, Public Relations.

(S. D. Khan)
Joint Secretary.

4. Fakirapool Water Pump

Contract Agreement

Memorandum of agreement this day 2nd. Oct. 1977 between the secretary WASA, Dacca having it's office at Motijheel Commercial Area, P.S. Motijheel, Dist. Dacca on the one part (hereinafter called the Secretary) and the president of the People's Republic of Bangladesh hereinafter called the President on the other part.

Whereas for the purpose of construction of Sewer lift station of the aforesaid Secretary at Mouza Purana Paltan line P.S. No.285 the said Secy. has applied to the Govt.of Bangladesh for the requisition and acquisition under the previsions of- East Bengal (Emergency) Requisition of property Act, 1948 (No.XXIV of 1948) of the pieces of parcels of land containing 0.0275 of an acre or thereabout, situate in Mouza Purana Paltan line P.S.Motijheel,Dist. Dacca more particularly described in the schedule here to annexed.

And whereas the said Secretary deposited with the Deputy Commissioner of on 12-1-77 a sum of Tk Taka= 1,31,736/41 (Taka One lac thirty one thousand seven hundred thirty six and paisa forty one) only in advance on account of cost of requisition of the said land as estimated by the D.C.in anticipation of re-

And whereas the Govt. of Bangladesh being satisfied that the land in quisition is needed for the construction of extension of the compound of over head tank to the aforesaid Deep. which is likely to prove useful to the development of agriculture and industries of the Bangladesh has consented to- the requisition of the aforesaid land under the aforesaid Act, without prejudice to the question of acquisition of the land still to enquiry under section 3 of the aforesaid Act,is made..

And whereas the Govt. of Bangladesh has required the aforesaid Secretary to enter into an agreement with the D.C. Dacca on behalf of the Bangladesh Govt. hereinafter contained.

Now this indenture witnesseth that it is hereby agreed and declared as follows :-

1) The compensation for the requisition & acquisition of the land as may be fixed by Govt. or awarded by the Arbitra- tor to whom a reference under section 7 of the Bangladesh (Emer- gency Requisition of property Act, 1948) may be made or by the court or courts to which an appeal from the decision of the sa Arbitrator may be preferred and all costs charges and expenses of the proceedings for the determination of compensation by th aforesaid Arbitrator or by the aforesaid courts or otherwise incidental to the proposed requisition and acquisition or a expenses in respect thereof under the provision of the said Ac shall be paid out of the aforesaid deposit of Tk.=1,31,736/41 (Taka one lac thirty one thousand seven hundred thirty six & paisa forty one) only.

- 13 -

2) On demand the proprietor shall deposit with the Deputy Commissioner, Dacca of such further sum or sums of money as may be required by the D.C.Dacca for the purpose or purposes mentio in the foregoing clause.

3) On requisition of the land and on taking over possessi thereof, under the aforesaid Act, D.C. Dacca on behalf on the G of Bangladesh shall make over possession of the said land to Se retary for the purpose of construction of extension of the comp or overhead tank. But the said Secretary shall not change the character of the requisition property during the period of requ tion.

4) It is also hereby agreed and declared that nontechnic staff required for the working and management of the ~~as~~ work sh be recruited from among the bonafide residents of Bangladesh.

5) The Bangladesh Govt. will examine the question of the acquisition of the land for the aforesaid purpose and proceed w the acquisition thereof if there is no objection but as a resul of the examination if it is decided ~~in~~ that the land shall not acquired for the aforesaid purpose, the said Secretary shall surrender the land to the Govt. of Bangladesh for its release a restoration under section-8 of the aforesaid Act, and the propri shall bear all costs & compensation in connection with the rele and restoration of the land.

Contd.....P/4.

5. Dhaka College Campus Water Pump.

Contract Agreement

Government of the People's Republic of Bangladesh
Office of the Principal
Dhaka College

To
Managing Director
Dhaka Wasa
Kawran Bazar, Dhaka

Memo No. Dh. Col./428/2020 Date: 29/06/2020

Subject: Application for installation a Water Pump for use of the residential students of hostels of Dhaka college and to supply adequate water for academic, administrative buildings and for the houses of teachers and staffs of Dhaka college

According to the reference of above-mentioned subject this is for your kind information that presently due to inadequate water supply of Dhaka WASA at Dhaka College often a panic situation is observed at the students of the hostels of Dhaka College.

For this reason, for the use of the residential students of hostels of Dhaka college and to supply adequate water for academic, administrative buildings and for the houses of teachers and staffs of Dhaka college approved to use a piece of land (adjacent to South Hostel) (25'x50'=1250sq.ft) for installation of 1 (one) Water Pump.

Principal
Dhaka College, Dhaka
Phone No. 02-9613559

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
অধ্যক্ষের কার্যালয়
ঢাকা কলেজ, ঢাকা
www.dhakacollege.edu.bd

স্মারক নং- ঢা: ক:/৪২৬/২০২০ তারিখ: ২৯/০৬/২০২০ খ্রি:

বিষয়: ঢাকা কলেজের ছাত্রাবাসমূহে অবস্থানকারী ছাত্রদের ব্যবহারের জন্য এবং একাডেমিক ও প্রশাসনিক ভবন এবং শিক্ষক কর্মচারীদের বাসভবনে পর্যাপ্ত পানি সরবরাহের জন্য ০১টি পানির পাম্প স্থাপন প্রসঙ্গে।

উপর্যুক্ত বিষয়ের প্রেক্ষিতে আপনার সদয় অবগতির জন্য জানানো যাচ্ছে যে, ঢাকা কলেজে বর্তমানে ওয়াসার সরবরাহকৃত পানি পর্যাপ্ত না থাকায় কলেজের ছাত্রাবাসসমূহে অবস্থানকারী ছাত্রদের মধ্যে প্রায়শই অস্থিরতা দেখা দেয়। এমতাবস্থায় ঢাকা কলেজের ছাত্রাবাসমূহে অবস্থানকারী ছাত্রদের ব্যবহারের জন্য এবং একাডেমিক ও প্রশাসনিক ভবন এবং শিক্ষক কর্মচারীদের বাসভবনে পানি সরবরাহে ০১টি পানির পাম্প স্থাপনের জন্য কলেজের অভ্যন্তরে (দক্ষিণ ছাত্রাবাস সংলগ্ন) (২৫'×৫০')=১২৫০ বর্গফুট (কম/বেশি) জায়গা অস্থায়ীভাবে ব্যবহারে অনুমতি প্রদান করা হলো।

২৯/৬/২০২০
(অধ্যাপক নেহাল আহমেদ)
অধ্যক্ষ
ঢাকা কলেজ, ঢাকা
ফোন: ০২-৯৬১৩৫৫৯
E-mail: dhakacollegeprincipal@gmail.com

২৯/৬/২০২০

ব্যবস্থাপনা পরিচালক
ঢাকা ওয়াসা
কাওরান বাজার, ঢাকা।

6. Dhaka Uddan Water Pump, Proposed new

Contract Agreement

Mr A.K.m Musa (General Secretary), Father Late: Nawab Ali, Address: House 10(3rd floor), Flat-3/A, Main Road, Naboday Housing Society, P.O-Mohammadpur, P.S- Adabor, Dhaka—1207, On behalf of Dhaka Uddan Multi Cooperative limited,.....1st Party

Deputy Secretary, Land Division, on behalf of Dhaka Water Supply and Sewerage Authority (DWASA), 98 KaziNazrul Islam Avenue, Dhaka-1215 ..... 2nd Party

Itis stated in the Record of Rights that, House 10(3rd floor), Flat-3/A, Main Road, Naboday Housing Society, P.O-Mohammadpur, P.S- Adabor, Dhaka—1207 (1st Party) is owner and occupier of the schedule specified land.

Today on 19.03.2017 B.C Year contract agreement has been signed to transfer and receive the occupied land, in attached `yellow' marked drawing on contract agreement's 3rd page mentioned in the schedule that 1.30 kata (more/Less) land which 1st Party has agreed to give to Dhaka Water Supply and Sewerage Authority (DWASA) for installation of Deep Tube Well (DTW) for providing regular water supply at Plot-22, Road-2, Block-C nearby areas of `Mohammadpur' Residential Areas of Dhaka District under following conditions:

1. This contract was signed after concurrence of second party regarding the first party's proposal of providing scheduled land free of cost for installation of Deep Tube Well (DTW) and both parties obliged to follow the conditions of the agreement.

2. Dhaka Water Supply and Sewerage Authority (DWASA) to use the attached `yellow' marked drawing on contract agreement's 3rd page mentioned schedule, that 1st Party has agreed to give 1.30 kata (more/less) land in favor of Dhaka Water Supply and Sewerage Authority (DWASA) for installation of Deep Tube Well (DTW) for providing regular water supply at Plot-22, Road-2, Block-C and nearby areas of `Mohammadpur Residential Areas under Dhaka District.

3. If installation of Deep Tube Well is not possible or it is non-functional or there is no possibility of replacement then the second party will return the proposed land to 1st party within 90 days.

The 2nd party will take their all materials, tools and equipment's by their own cost within the given period after returning back the land and as early as possible will remove out the installed Deep Tube well.

4. The proposed land will not be used except installation of Deep Tube Well (DTW). The 2nd party can build wall, gate, install Deep Tube Well, pipe laying for water supply, pump house, electricity line, to install generator and to install latrine at this land at his own cost.

5. No work will be done at the site of the land of installed Deep Tube Well (DTW) which will cause environment pollution. In this matter, both parties will take necessary action at appropriate moment.

6. According to their requirement the 2nd party may bring their tools, equipment's and materials and their persons can move to the specified site. Roads can be used for the movement of concerned persons to the site and it can be used to construct the water pipeline.

7. As the ownership of the contract land would be the 1st party, so the land development duty of the assumed land will be paid by the 1st party.

8. A photo copy of this contract agreement wills kept by the 1st party which will be considered as well as original copy.

9. If there is any conflict over land ownership or possession of adjacent land owners or any other person's possession of land then the 1st party will lawfully resolve the conflict and will free the land from encumbrance and after that the transfer process will be completed in favor of 2nd party.

10. At the time of installation of Deep Tube Well (DTW) if the conflicts, obstacles, shut down situation of the installation work of Deep Tube Well (DTW) arise due to land ownership then the 1st party will be obliged to bear the cost of the preparatory work of the installation.

11. 2nd party positioned as a legalized owner and occupier of the schedule indicated site of the 1st party.

On the basis of consent of both parties by this contract agreement delivers authorization to 2nd party (Dhaka WASA Authority) for installation of Deep Tube Well (DTW) at the supposed place. The possession letter of Eastern Housing Limited which was sent to Dhaka Water Supply and Sewerage Authority (DWASA) will be treated as a part of the agreement and this contract agreement is signed in presence of the witnesses, on the date quoted at first page of the contracted agreement.

`Schedule'

District: Dhaka, Thana: Mohammadpur, Mouza: Ramchandrapur, C.S. dug No. 240,S.A-59, R.S-01. Dug-C.S& S.A-253 (Part) R.S dug-160,161, & 163 (Part), Mohanagar dug-5201 (Part) Khatiyan-C.S-452, S.A-243, M.S-1757. Land area-1.30 katha. Existing land Plot-22,Road-2, Block-C, Dhaka Uddan Residential area, Mohammadpur, Dhaka-1207. Area: At North-Road, East-Kamrul Ahsan and Abul Hossain's land, West- Kashaem's land and South-Rayhan's land.

Witness

1).

1. Mr. A.K.m Musa,
General Secretary (Nabodoy Housing)
House 10(3rd floor), Flat-3/A, Main Road,
NabodayHousing Mohammad pur,
Dhaka.....1st Party

2).

2. ShamimNaziba,
Deputy Secretary,
Land Division, Dhaka Water Supply and Sewerage Authority (DWASA), 98 KaziNazrul Islam Avenue, Dhaka 1215 .....2nd Party



৳১০০ ৳১০০

০৮১৮৭৮১

A.K.M. Musa

চুক্তিপত্র

ঢাকা উদ্যান বহুমুখী সমবায় সমিতি লিমিটেডের পক্ষে সাধারন সম্পাদক জনাব এ, কে, এম মুসা, পিতা- মৃত নওয়াব আলী, স্থায়ী ঠিকানাঃ- বাসাঃ ১০ (৪র্থ তলা), ফ্ল্যাট- ৩/এ, রাস্তাঃ প্রধান সড়ক, নবোদয় হাউজিং সোসাইটি, ডাকঘরঃ মোহাম্মাদপুর-১২০৭, থানাঃ আদাবর, ঢাকা।

----------প্রথম পক্ষ

ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ, ৯৮, কাজী নজরুল ইসলাম এভিনিউ, "ওয়াসা ভবন" থানা-তেজগাঁও, ঢাকা এর পক্ষে উপ-সচিব, ভূমি বিভাগ, ঢাকা ওয়াসা।

----------দ্বিতীয় পক্ষ

তফসিল বর্ণিত জায়গাটি আমরা (প্রথম পক্ষ) অ-প্রত্যাহারযোগ্য আম-মোক্তারনামা দলিলসূত্রে মালিক ও দখলদার নিয়োজিত আছি।

ঢাকা জেলার মোহাম্মাদপুর থানাধীন ঢাকা উদ্যান আবাসিক এলাকায় পানি সরবরাহের সুব্যবস্থা কল্পে ঢাকা পানি সরবারহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ গভীর নলকূপ স্থাপনের জন্য সংযুক্ত নক্সায় "হলুদ" চিহ্নিত স্থানে নিম্ন তফসিল বর্ণিত ৯৩৫ বর্গফুট বা ১.৩০ কাঠা (কম/বেশী) জায়গায় গভীর নলকূপ স্থাপন করার জন্য ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষকে নিম্নে আরোপিত শর্ত সাপেক্ষে গভীর নলকূপ স্থাপন করতে দিতে প্রথম পক্ষ সম্মত হওয়ায় অদ্য-১৯--দিন -০৬--মাস, ২০১৭ খ্রিস্টাব্দ এবং বাংলা--০৫--দিন-ভাদ্র-মাস, ১৪২৩ বঙ্গাব্দ মোতাবেক চুক্তিপত্র স্বাক্ষরিত এবং জমির দখল হস্তান্তর ও গ্রহন করা হলো।

৩৮১৮৭৮২

A.K.M. Fazlur

শর্তাবলী

১। প্রথম পক্ষ গভীর নলকূপ স্থাপনের জন্য বিনামূল্যে তফসিলে বর্ণিত জায়গা প্রদানের প্রস্তাব করলে দ্বিতীয় পক্ষ সানন্দে এ প্রস্তাবে রাজী হয়ে অত্র চুক্তি সম্পাদন করলেন এবং এ চুক্তিপত্রের শর্তাবলী পালনে উভয় পক্ষ বাধ্য থাকবেন।

২। ঢাকা জেলার মোহাম্মাদপুর থানাধীন ঢাকা উদ্যান আবাসিক এলাকায় পানি সরবরাহের সু-ব্যবসস্থা কল্পে ঢাকা পানি সরবারহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ গভীর নলকূপ স্থাপনের জন্য সংযুক্ত নক্সায় "হলুদ" চিহ্নিত স্থানে নিম্ন তফসিলে বর্ণিত ৯৩৫ বর্গফুট বা ১.৩০ কাঠা (কম/বেশী) জায়গা ঢাকা পানি সরবরাহ ও পয়ঃ নিষ্কাশন কর্তৃপক্ষ গভীর নলকূপ স্থাপনের জন্য ব্যবহার করতে পারবে। এ জন্য প্রথম পক্ষকে, দ্বিতীয় পক্ষ (ঢাকা ওয়াসা কর্তৃপক্ষ) কোনো মূল্য, কর বা সেলামী প্রদান করবে না এবং ভবিষ্যতেও প্রথম পক্ষ, দ্বিতীয় পক্ষের নিকট কোনো টাকা পয়সা বা ভাড়া দাবি করতে পারবেনা।

৩। যদি উক্ত জায়গাতে গভীর নলকূপ স্থাপন করা সম্ভব না হয় বা উক্ত জায়গার খননকৃত গভীর নলকূপটি অচল হয়ে যায় কিংবা তথায় পুনঃ গভীর নলকূপ স্থাপন করার পরিকল্পনা না থাকে বা সম্ভব না হয় তাহলে দ্বিতীয় পক্ষ জায়গাটি প্রথম পক্ষকে ৯০(নব্বই) দিনের মধ্য ফেরৎ দিবে। জায়গাটি ফেরৎ দেয়ার সঙ্গে সঙ্গে দ্বিতীয় পক্ষ তাদের নিজস্ব মালামাল নিজ খরচে নিয়ে যাবে এবং স্থাপিত গভীর নলকূপটি যত দ্রুত সম্ভব উঠিয়ে নিয়ে আসবে।

৪। গভীর নলকূপ স্থাপন ছাড়া অন্য কোনো কাজে প্রস্তাবিত জায়গাটি ব্যবহার করা যাবেনা। দ্বিতীয় পক্ষ এ জায়গার চারদিকে দেয়াল নির্মান, গেইট নির্মান, গভীর নলকূপ স্থাপন, পানি সরবরাহের লাইন নির্মান, পাম্প হাউজ, বিদ্যুৎ লাইন, জেনরেটর স্থাপন, ল্যাট্রিন নির্মান সহ প্রয়োজনীয় কাজ নিজ খরচে করতে পারবে।

৫। গভীর নলকূপ স্থাপনকৃত জায়গাতে এমন কোনো কর্মকান্ড পরিচালনা করা যাবেনা যাতে পরিবেশ নষ্ট হয়। এ ব্যাপারে উভয় পক্ষ যথা সময়ে প্রয়োজনীয় পদক্ষেপ গ্রহন করবে।

৬। দ্বিতীয় পক্ষ তাদের প্রয়োজন অনুসারে সকল মালামাল ও যন্ত্রপাতি নির্ধারিত জায়গাতে আনতে পারবে এবং সংশ্লিষ্ট লোকজন চলাচল করতে পারবে। পাম্পে চলাচলের জন্য রাস্তা ব্যবহার করতে পারবে এবং রাস্তায় পানির লাইন নির্মান করতে পারবে।

৭। চুক্তিবদ্ধ জায়গাটির মালিকানা স্বত্ব প্রথম পক্ষেরই থাকবে। যেহেতু জমির খাজনা (ভূমি উন্নয়ন কর) প্রথম পক্ষ পরিশোধ করবে।

৮। এই চুক্তিপত্রের একটি অনুলিপি প্রথম পক্ষের নিকট থাকবে যা মূলকপির ন্যায় মূল্যায়ন করা হবে।

৯। জায়গার মালিকানা বা দখল স্বত্ব নিয়ে পার্শ্ববর্তী জায়গার মালিক অন্য কারো সাথে কোনো জটিলতা সৃষ্টি হলে তা প্রথম পক্ষই আইনগতভাবে নিরসন করে ঝামেলা মুক্ত হয়ে দ্বিতীয় পক্ষের নিকট জায়গার দখল হস্তান্তর প্রক্রিয়া সম্পাদন করবে।

১১। গভীর নলকূপ স্থাপনকালীন সময় জমির মালিকানা স্বত্ব নিয়ে জটিলতা দেখা দিলে, বাধাপ্রাপ্ত হলে, গভীর নলকূপ স্থাপন কার্যক্রম বন্ধ হয়ে গেলে বা স্থাপন করা না গেলে নলকূপ স্থাপনের প্রস্তুতিমূলক সকল প্রকার খরচ প্রথম পক্ষ বহন করতে বাধ্য থাকবে।

১০। তফসিলে বর্ণিত জায়গাতে দ্বিতীয় পক্ষ, প্রথম পক্ষের অনুমতি প্রাপ্ত ও দখলদার নিয়ত হলো।

০৮১৮৭৮৩

উভয় পক্ষের সম্মতিক্রমে উক্ত জায়গায় গভীর নলকূপ স্থাপনের জন্য দ্বিতীয় পক্ষকে (ঢাকা ওয়াসা কর্তৃপক্ষ) অত্র চুক্তিপত্র দ্বারা অনুমতি প্রদান করা হলো। জায়গাটির একটি সাইট নক্সা তৈরী পূর্বক 'হলুদ' চিহ্নিত করে চুক্তিপত্রের অংশ হিসেবে গন্য করে উভয় পক্ষ উপস্থিত স্বাক্ষীদের সম্মুখে এই চুক্তিপত্র প্রথম পৃষ্ঠায় উল্লেখিত তারিখে সম্পাদন করা হলো।

"তফসিল"

জেলাঃ- ঢাকা, থানাঃ-মোহাম্মাদপুর, ঢাকা কালেক্টরির তৌজিভূক্ত। মৌজা- রামচন্দ্রপুর। জে.এল নং-সি.এস-২৪০, এস.এ-৫৯, আর.এস-১,এম.এস-১। দাগ নং- সি.এস ও এস.এ-২৫৩(অংশ), আর.এস দাগ নং-১৬০,১৬১, ও ১৬৩(অংশ), মহানগর দাগ নং-৫২০১(অংশ)। খতিয়ান নং- সি.এস-৪৫২, এস.এ-২৪৩, আর.এস-৪৬, এম.এস-১৭৫৭। জমির পরিমান ১.৩০ কাঠা (কম/বেশী)। প্রস্তাবিত জমির অবস্থান- প্লট নং-২২, রোড নং-২, ব্লক-সি, ঢাকা উদ্যান আবাসিক এলাকা, মোহাম্মাদপুর, ঢাকা। প্রস্তাবিত জমির চৌহদ্দিঃ উত্তরে- রাস্তা, দক্ষিণে-রায়হান , পূর্বে- কামরুল আহসান ও আবুল হাসেম, পশ্চিমে- কাশেম।

স্বাক্ষীঃ

১। (মো: সফিউল্লাহ রফিক (বাদল)
বাসা-২, রোড-৩, নবোদয় হা/৫
ব্লক-এ থানাঃকঃ (মোহাম্মাদপুর ঢাকা

১। এ, কে, এম মুসা
পিতা-মৃত নওয়াব আলী
বাসাঃ ১০ (৪র্থ তলা), ফ্ল্যাট-৩/এ,
প্রধান সড়ক, নবোদয় হাউজিং সোসাইটি
মোহাম্মাদপুর-১২০৭, থানাঃ আদাবর, ঢাকা।

আইডিনং-১৩১৪৫৮৩৯৮২৮১০।

প্রথম পক্ষ।

২। (মো: নজরুল ইসলাম ভূইয়া
বাসা-৪৩ ব্লক বি প্রবাল সড়ক
হাজী শিল্প-মোহাম্মাদী লিমিটেড
ঢাকা উদ্যান (মোহাম্মাদপুর ঢাকা১২০৭)

৩। মো: [illegible]
[illegible]
[illegible]

২। শামীম নাজিবা
উপ-সচিব, ভূমি বিভাগ, ঢাকা ওয়াসা
"ওয়াসা ভবন"
৯৮, কাজী নজরুল ইসলাম এভিনিউ, ঢাকা-১২১৫।

দ্বিতীয় পক্ষ।

Annexure 6: Consultation Meeting Details

Dhaka Uddan, Mohammadpur, Dhaka, Proposed New Water Pump				
SL No.	Date and Venue	Participants Discussion	No. of Participants	Project Response
01	20/08/2020 Dhaka Uddan, Mohammadpur, Dhaka, Proposed New Water Pump	At the meeting the suggestions of the participant's for implementing deep tube well installation was taken. The participant's only demand was to get to get water. The participants expressed the need to install the tube wells within the schedule time. The participants suggested that safety fences/barricades should be put around the work site to prevent children from going to the construction site.	25	WASA Representative informed: - The waste soil will be removed from the narrow roads immediately and from the wider road within 24 hours. - measures will be taken to reduce sound pollution. - adequate measures will be taken to reduce pollution. - barricades will be put up around the work site during construction work. - planks will be used for as bridge entering houses. - ensuring sufficient water supply.- Enclosure will be ensured during construction work.

Dhaka Environmentally Sustainable Water Supply Project (DESWSP)
Dhaka Water Supply and Sewerage Authority

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue : Dhaka Uttan, Mohammadpur, Dhaka.
Proposed new Water pump.
Date : 20.08.2020

Sl. No	Name	M - F	Contact No/Address	Signature
01.	Md. Enamul Haq	Male	01798642893 PMU, DWASA	
02.	Md. Mokbul Hossain	M	Dhaka Uttan C.block, Rd-2	
03.	Alamin	m	"	
04.	[illegible]	m	"	
05.	[illegible]	m	"	Amzad.
06.	[illegible]	m	"	
07.	Mst. Amena Begum	F	"	
08.	[illegible]	F	"	
09.	[illegible]	F	"	
10.	[illegible]	F	"	
11.	[illegible]	F	"	
12.	[illegible]	F	"	
13.	[illegible]	F	"	
14.	[illegible]	M	"	
15.	[illegible]	M	"	
16.	[illegible]	M	"	
17	[illegible]	M	"	

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue : Dhaka Oddan, Mohammadpur, Dhaka.
Proposed New Daten pump.

Date : 20.08.2020

SL No	Name	M - F	Contract No/Address	Signature
18.	মোঃ কাদের	m	✓	কাদের
19	মোঃ ইমরান	m	✓	ইমরান
20	মোঃ রিয়াজুল	m	✓	রিয়াজুল
21	মোঃ কাইউম	m	✓	কাইউম
22	মোঃ হারুন	m	✓	হারুন
23	মোঃ আক্কেপার	m	✓	আক্কেপার
24	মোছাঃ রুমা	f	✓	রুমা
25	নাসির	F	✓	নাসির

Moghbazar Wireless Gate, Water Pump, Dhaka.				
SL No.	Date and Venue	Participants Discussion	No. of Participants	Project Response
02	23/08/2020 Moghbazar, Wareless Colony, Water Pump, Dhaka.	At the meeting the suggestionsofthe participant's for implementing deep tube well installation was taken. The participant's only demand was to get water. The participants suggested that safety fences/barricades should be put around the work site to prevent children from going to the construction site.	17	WASA Representative informed: - The waste soil will be removed from the narrow roads immediately and from the wider road within 24 hours. - measures will be taken to reduce sound pollution. - adequate measures will be taken to reduce pollution. - barricades will be put up around the work site during construction work. - planks will be used for as bridge entering houses. - ensuring sufficient water supply.

Dhaka Environmentally Sustainable Water Supply Project (DESWSP)
Dhaka Water Supply and Sewerage Authority

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue : Moghbazar Wireless Colony Water pump. Moghbazar, Dhaka-
Date : 23.08.2020

SL No	Name	M - F	Contract No/Address	Signature
1.	Md. ALAMGIR Hossain	M	PHO, DWASA	Alam
2.	Md. Arifuzzaman	M	01767033711	Arif
3.	Sanjith Das	M	moghbazar wireless Colony	Sanjith
4.	Zulfikar Kabir	M	Bamaly - 3 176- DIT Road	
5	Md. sujan mesh	M	Bamaly - 3 DIT Road	Sujan
6	MD - Mostafa Kamal	M	Baromaly -	Mkamal
7	KHOKON	M	479 E	KHOKON
8	[illegible]	M	478 E	[illegible]
9	[illegible]	M		[illegible]
10	A. MATIN	M	40 Somaliya	[illegible]
11	কবীর	M	38, Somaliya	কবীর
12	Salam আব্দুস সালাম	M	DIT Road	Salam আব্দুস সালাম
13		M		
14	[illegible]	M		[illegible]
15	[illegible]	M	[illegible]	[illegible]
16	[illegible]	M	[illegible]	[illegible]
17	Tofazzal Hossen	M	Safeguard officer DESWSP, DWASA.	[illegible]

Matikata (Pump No.2) Water pump, Cantonment Thana, Dhaka.				
SL No.	Date and Venue	Participants Discussion	No. of Participants	Project Response
03	27/08/2020 Matikata (Pump No.2) Water pump, Cantonment Thana, Dhaka.	At the meeting the suggestions of the participant's for implementing pipe line construction: -Mud / soil cannot be left around the construction site. -Public will get water regularly that they did not get before. --Water problem should not be made for the pipe line construction work. -It should not be problem of public movements/transport. -Where there is a risk for the construction work fence should be provided by contractors. - The participant's expects that they will not be harassed for the construction work. - The participant's thinks that the Government is doing this pipe line construction work for their benefit.	22	WASA Representative informed: - The waste soil will be removed from the narrow roads immediately and from the wider road within 24 hours. - Ensuring 24 hour water supply with sufficient pressure. - There should be put an enclosure covers the trenches - Barricades will be put up around the work site during construction work. - Planks will be used for as bridge entering houses. - Ensuring sufficient water supply.

Dhaka Environmentally Sustainable Water Supply Project (DESWSP)
Dhaka Water Supply and Sewerage Authority

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue : Matikata (Pump No.2) Water Pump, Dhaka Cantonment. Dhaka. Replacement water pump.
Date : 27.08.2020

Sl. No	Name	M - F	Contract No/Address	Signature
1.	Md. Sridur Rahman	M	01715149604	
2.	Md. Sagor Dar	M	01718 930202	
3.	[illegible]	M	Nr. Dhaka Cantonment	
4.	[illegible]	M	"	
5	[illegible]	M	"	
6	[illegible]	M	"	
7	[illegible]	M	"	
8	[illegible]	M	"	
9	[illegible]	M	"	
10	[illegible]	M	"	
11	[illegible]	M	"	
12	[illegible]	M	"	
13	[illegible]	M	"	
14	[illegible]	M	✓	
15	[illegible]	M	✓	
16	[illegible]	M	✓	
17	[illegible]	M	"	

Dhaka Environmentally Sustainable Water Supply Project (DESWSP)
Dhaka Water Supply and Sewerage Authority

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue :

Date : 27.08.2020

SL No	Name	M - F	Contract No/Address	Signature
18	মোঃ আব্দুল্লাহ	M	North Matikata Dhaka Cant. Dhaka	Abdullah
19	মোঃ কামরুল	M	〃	কামরুল
20	মোঃ মামুন	M	〃	মোঃ মামুন
21	মোস্তাফা কামাল	M	01622-925953	
22	Tofazzal Hossen	M	01745421948	27.08.2020

Mirpur 11-C (Ave-5) Water Pump, Dhaka				
SL No.	Date and Venue	Participants Discussion	No. of Participants	Project Response
04	06/09/2020 Mirpur 11-C Water Pump, Dhaka	At the meeting the suggestionsofthe participant's for implementing deep tube well installation was taken. The participant's only demand was to get to get water. The participants expressed the need to install the tube wells within the schedule time. The participants suggested that safety fences/barricades should be put around the work site to prevent children from going to the construction site.	19	WASA Representative informed: - The waste soil will be removed from the narrow roads immediately and from the wider road within 24 hours. - old line will be disconnected after establishing new supply line - adequate measure will be taken to reduce sound pollution. - barricades will be put up during construction work. - planks will be used for as bridge entering houses. - project will ensure sufficient water supply

Dhaka Environmentally Sustainable Water Supply Project (DESWSP)
Dhaka Water Supply and Sewerage Authority

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue : Mirpur-11 C.oaten Pump (Ave: 5), Dhaka.

Date : 06.09.2020

SL No	Name	M - F	Contract No/Address	Signature
01.	Md. Saidur Rahman	M	01715149604	
02.	Mst Rokeya Begum	F	01843642888	রোকেয়া
03.	Rabey Khatun	F	01811812563	রাবেয়া খাতুন
04.	Rubel	M	11/e, Avenue-5	রুবেল
05.	Faruk	M	11/e-Avenue-5	ফারুক
06.	[illegible]	M	11/e. Avenue-5	[illegible]
07	Rana	M	11/e-Av-5	রানা
08.	Alamgir	M	11/e -Av-5	[illegible]
09	Sangita	F	11/e -A-5	[illegible]
10	Mst Mafia	F	11/e -A-5	মাফিয়া
11	Halima	F	11/e A-5	হালিমা
12	Lutfor Rahman	F	11/e -A-5	[illegible]
13	Rasel	M	11/e-Av-5	Rasel
14	Khademul	M	11/e-Av-5	[illegible]
15	md. Sabuj hossain	M	11/e Av-5	Sabuj
16	Md. Ziyaul Haque	M	11/e AV-5	[illegible]
17	Md. Rashedul Islam	M	11/e AV-5	Rashed

Dhaka Environmentally Sustainable Water Supply Project (DESWSP)
Dhaka Water Supply and Sewerage Authority

Focus Group Discussion (FGD)/Consultation Meeting

Attendance Sheet

Venue : Mirpur 11-C, water pump (Ave! 5), Dhaka.

Date : 06.09.2020

SL No	Name	M - F	Contract No/Address	Signature
18.	Mehedi Hasan	M	01558-662120	6-9-2020
19.	Tofazzel Hossen	M	Safeguard officer (S&C), DESWSP, DWASA.	06.09.2020